

PREPARE (Double Layer is standard.)

BALLOONS for Referee

- | | |
|----------------|-----------|
| #2 | #3 |
| (096) 5" Black | |
| (156) 5" White | |
| (044) 5" Skin | |
| (020) 5" Hair | |

FRAMEWORK

- (4) 3' x 3' RMS™ Banner Panels
(2 front layer & 2 back)

EQUIPMENT

- (1) Inflator (Hand Pump, Electric Air Inflator or Automatic Sizing Machine)
(2) Sizing Templates (A. 4" - B. 2.75")

INSTRUCTION SHEETS

- A. This Sheet
B. RMS™ Banner Basic Instructions
(<http://www.rouseinternational.com/downloads/pdf/MP-BNR-H-110A-5L-.....INSTR.pdf>)
C. Split Aperture Instructions
(<http://www.rouseinternational.com/downloads/pdf/split.aperture.recipe.02.pdf>)
D. Double Layer Instructions
(http://www.rouseinternational.com/downloads/pdf/DoubleLayer_rcp.pdf)

NOTES:

- ▶ Marks the location of split apertures.
- *** The illustration Top-Right shows the layout with background.
- *** The illustration to the Top Left shows the football player as a cut out. (He stands about 6' tall.)
- *** To make the cut out version; load the balloons first and THEN cut around the balloons. Before you cut, however, be sure to read the split aperture instructions. The instructions explain how to make the half apertures indicated by the ▶
- *** Draw in the eyes with a permanent marker.
- *** You may add details and change colors to match your local team.

